



## Heavy-Duty 4-Slot Switchable Bread and Bagel Toaster **WCT850**


### Unit Information


Toast up to 360 slices per hour with the 208V Waring® WCT850 Heavy-Duty Switchable Bread & Bagel Toaster. Great for bread, bagels, frozen waffles and larger items like Texas toast. The Bagel/Bread selector switch toasts on one side for bagels or both sides for bread. Electronic browning controls ensure consistency, and a dishwasher-safe crumb tray enables easy and fast cleanup.

### Plug Configuration





NEMA 6-20P






Note When Changing Elements: Bad elements should be removed one at a time so there is no confusion on what element goes where because some elements are not all the same.





| Illustration # | Part # | Description                                           |
|----------------|--------|-------------------------------------------------------|
| 1              | 027172 | Screw (2 required Per unit)                           |
| 2              | 027170 | Push Knob (flat outer center 2 required Per unit)     |
| 3              | 027171 | Push Knob (screw in outer center 2 required Per unit) |
| 4              | 033455 | Toggle Switch (2 required Per unit)                   |
| 5              | 027173 | Set Screw (2 required Per unit)                       |
| 6              | 027174 | Browning Control Knob (2 required Per unit)           |
| 7              | 502939 | Front Panel Assembly                                  |
| 8              | 033460 | Screw (2 required Per unit)                           |
| 9              | 033459 | Crumb Tray                                            |
| 10             | 033463 | Cord Set                                              |
| 11             | 027177 | Screw (4 required Per unit)                           |
| 12             | 027178 | Foot (4 required Per unit)                            |
| 13             | 027179 | Rubber Foot (4 required Per unit)                     |
| 14             | 027180 | Washer (4 required Per unit)                          |
| 15             | 027181 | Screw (4 required Per unit)                           |
| 16a            | 033457 | Element 17-4017 (2 required Per unit)                 |
| 16b            | 033534 | Element 17-4008 (2 required Per unit)                 |
| 16c            | 033458 | Element 17-4018 (2 required Per unit)                 |
| 17             | 027222 | Screw (12 required Per unit)                          |
| 18             | 027203 | Ceramic Insulator Bracket (12 required Per unit)      |
| 19             | 027205 | Hex Nut with Lock Washer (12 required Per unit)       |
| 20             | 027224 | Strain Relief                                         |
| 21             | 033454 | PC Board (2 required Per unit)                        |
| 22             | 027218 | Power Box Body                                        |
| 23             | 027216 | Power Terminal Board                                  |
| 24             | 027215 | Hex Nut (4 required Per unit)                         |
| 25             | 027213 | Screw (2 required Per unit)                           |
| 26             | 027214 | Power PCB Holder (2 required Per unit)                |
| 27             | 502941 | Moving Bracket Assembly (2 required Per unit)         |

| Illustration # | Part # | Description                                   |
|----------------|--------|-----------------------------------------------|
| 28             | 027191 | Damper Cylinder Rod (2 required Per unit)     |
| 29             | 027192 | Locking Mechanism (2 required Per unit)       |
| 30             | 027198 | Rheostat (2 Required Per unit)                |
| 31             | 027199 | Insulated Bracket Plate (2 Required Per unit) |
| 32             | 033456 | Micro Switch (4 Required Per unit)            |
| 33             | 027184 | Power box Cover                               |
| 34             | 033460 | Screw (4 Required Per unit)                   |
| 35             | 033453 | WCT850 base Unit                              |



↑  
Date Code Location  
YY|MM|DD  
year year | month month day day