



WFP16SCD

4-Quart LiquiLock® Seal System Combination Bowl Cutter Mixer and Continuous-Feed Food Processor with Dicing



DICING INCLUDED!

MAIN FEATURES

- 4-quart, virtually unbreakable, clear-view cutter mixer bowl
- LiquiLock® Seal System prevents leaks, splashes, and spills
- 2 HP* commercial motor with thermal overload protection
- Heavy-duty, die-cast housing with solid base
- Large, easy-to-read control buttons
- PULSE feature fine-tunes food processing and breaks down heavy loads
- Over 20 processing options in one machine
- Unique batch bowl processing for optimal efficiency
- Shred, grate and slice directly in the batch bowl with the included disc stem
- Extra-large feed chute with small and large food pusher
- Continuous-feed chute for large-volume slicing, dicing and shredding
- Safety interlock system prevents unit from operating unless correctly assembled
- Includes 3/8" (10mm) dicing grid and slicing disc with punch tool for dicing grid
- Limited Five-Year Motor and Two-Year Parts and Labor

ELECTRICAL

Voltage: 120

Frequency: 60Hz

Amps: 6

Plug Type: 5-15

Cord Length: 5 feet



SALES FEATURES

Completely sealed for use with liquids, now you can use your WFP16SCD combination bowl cutter mixer and continuous-feed food processor for more than dry food prep! High-impact, virtually unbreakable and scratch-resistant polycarbonate lets you see into the bowl. Lighter than metal, but built for tough use. Rugged, black polycarbonate hopper is scratch resistant. Durable see-through cover provides clear view while processing.



@waringcommercial

©2023 Waring Commercial
314 Ella T. Grasso Avenue, Torrington, CT 06790
Tel. 800-492-7464 • Fax 860-496-9008

waringcommercialproducts.com

4-Quart LiquiLock® Seal System Combination Bowl Cutter Mixer and Continuous-Feed Food Processor with Dicing WFP16SCD



4-Quart LiquiLock® Seal System Combination Bowl Cutter Mixer and Continuous-Feed Food Processor with Dicing WFP16SCD

PARTS AND ACCESSORIES (INCLUDED)



WFP16S1
Sealed LiquiLock® S-Blade (Patented)



WFP16S2
4 Qt. Cutter Mixer Bowl Sealed LiquiLock®



WFP16S3A
4 Qt. Cutter Mixer Bowl Lid Sealed LiquiLock®



WFP16S4
Continuous Feed Hopper



WFP16S5
Continuous Feed Hopper Lid



WFP16S6
Large Pusher for Hopper



WFP16S7
Small Pusher for Hopper



WFP16S8
Ejection Plate Slinger
(component of continuous feed hopper)



WFP16S9
New Disc Stem for WFP16S10, WFP16S12A



WFP16S10
Adjustable Slicing Disc (Patented)



WFP16S11
Sealed Whipping Disc



WFP16S12A
Double-Sided Shredding Disc



WFP16S26X
3/8" (10mm) Dicing Grid and Slicing Disc
with Punch Tool for Dicing Grid

PARTS AND ACCESSORIES (OPTIONAL)



WFP16S16
Grating Disc



WFP16S18
Continuous Feed Hopper, Lid Assembly
with Slinger & Dicing Assembly



WFP16S19
5/16" (8mm) Punch Tool for Dicing Grid



WFP16S20
3/8" (10mm) Punch Tool for Dicing Grid



WFP16S21
1/2" (12mm) Punch Tool for Dicing Grid



WFP16S22
5/32" (4mm) Julienne Disc



WFP16S23
6.5mm Julienne Disc



WFP16S24
5/16" (8mm) Julienne Disc



WFP16S25
5/16" (8mm) Dicing Grid and Slicing Disc
with Punch Tool for Dicing Grid



WFP16S26
3/8" (10mm) Dicing Grid and Slicing Disc
with Punch Tool for Dicing Grid



WFP16S27
1/2" (12mm) Dicing Grid and Slicing Disc
with Punch Tool for Dicing Grid



WFP16S28
Removable Gasket for 4-Qt.
Cutter Mixer Bowl Lid WFP16S3A



@waringcommercial

©2023 Waring Commercial
314 Ella T. Grasso Avenue, Torrington, CT 06790
Tel. 800-492-7464 • Fax 860-496-9008


waringcommercialproducts.com

23WC080282 / REV 09/23



4-Quart LiquiLock® Seal System Combination Bowl Cutter Mixer and Continuous-Feed Food Processor with Dicing WFP16SCD

DIMENSIONS



Out of Box Weight: 22.8 lb.

ORDERING INFORMATION	#STD. PKG.	GIFTBOX WEIGHT	CUBIC FEET	BOX DIMENSIONS D X W X H	UPC	CASE PKG.	MC WEIGHT	MC DIMENSIONS D X W X H	MBC
WFP16SCD – 4-Quart LiquiLock® Seal System Combination Bowl Cutter Mixer and Continuous-Feed Food Processor with Dicing	1	35.5	4.13	15.25" x 21.625" x 21.625"	040072023262	1	35.5	22.125" x 15.75" x 22.375"	10040072023269



@waringcommercial

©2023 Waring Commercial
314 Ella T. Grasso Avenue, Torrington, CT 06790
Tel. 800-492-7464 • Fax 860-496-9008

waringcommercialproducts.com

23WC080282 / REV 09/23